

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listing of claims in the application:

**LISTING OF CLAIMS**

Claims 1-13: (Canceled).

14. (New) Ballistic protection suitable for protection against projectiles, splinters, and sharp objects, the protection comprising:

at least two groups of plate-shaped protective elements; and

one or more layers of liquid stored in one or more containers,

wherein the one or more layers of liquid is arranged between the at least two groups of plate-shaped elements.

15. (New) Ballistic protection suitable for protection against projectiles, splinters, and sharp objects, the protection comprising:

at least two substantially plate-shaped protective elements; and

one or more layers of liquid-like medium stored in one or more containers,

wherein the one or more layers of liquid-like medium is arranged between the at least two substantially plate-shaped protective elements.

16. (New) The protection according to Claim 15, wherein the liquid-like medium is stored in one or more rigid containers.

17. (New) The protection according to Claim 15, wherein the liquid-like medium is stored in one or more flexible containers.

18. (New) The protection according to Claim 17, wherein a number of the one or more flexible containers at least partly overlap one another.

19. (New) The protection according to Claim 16, wherein at least two of the one or more rigid containers are interconnected in a group, wherein the group of interconnected rigid containers comprises a filling and tapping device.

20. (New) The protection according to Claim 17, wherein at least two of the one or more flexible containers are interconnected in a group, wherein the group of interconnected flexible containers comprises a filling and tapping device.

21. (New) The protection according to Claim 16, wherein the one or more rigid containers is releasably mounted between the at least two substantially plate-shaped protective elements.

22. (New) The protection according to Claim 17, wherein the one or more flexible containers is releasably mounted between the at least two substantially plate-shaped protective elements.

23. (New) The protection according to Claim 16, wherein the one or more containers comprise a connection for filling.

24. (New) The protection according to Claim 16, wherein the one or more containers comprise a connection suitable for permitting the liquid-like medium to be drunk by a person.

25. (New) The protection according to Claim 1, wherein the at least two substantially plate-shaped protective elements are kept apart at a fixed distance by suitably dimensioned distance pieces.

26. (New) The protection according to Claim 16, further comprising one or more elastic bodies, wherein the at least two substantially plate-shaped protective elements are drawn towards each other by being connected to the one or more elastic bodies.

27. (New) The protection according to Claim 25, wherein the fixed distance between the at least two substantially plate-shaped protective elements has a lower limit, the distance pieces being mounted with a length between the at least two substantially plate-shaped protective elements corresponding to a least desirable distance between the at least two substantially plate-shaped protective elements.

28. (New) Ballistic protection suitable for protection against projectiles, splinters, and sharp objects, the protection comprising:

at least two groups of plate-shaped protective elements; and

one or more layers of liquid stored in one or more containers;

filling means for allowing filling the one or more containers; and

tapping means for allowing drinking the one or more layers of liquid,

wherein the one or more layers of liquid is arranged between the at least two groups of plate-shaped elements.

29. (New) The protection according to Claim 28, wherein the one or more containers comprise a flexible container.

30. (New) The protection according to Claim 29, wherein one or more of the flexible containers are interconnected in a group, and the group of interconnected flexible containers comprises a filling and tapping device.

31. (New) The protection according to Claim 28, wherein the one or more containers are releasably mounted between the at least two groups of plate-shaped protective elements.